# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.






Price list of prinamentals.

"A Thing of Beauty is a Joy Forever"

---Keats









Empland Systematic Betain

Empland substitute

1.1 100





"A Thing of Beauty is a Joy Forever!"
---Keats.

D)

# LOUDON NURSERIES

IRVINGTON, BALTIMORE, MD.



"The joy of a garden lies in more than meets the eye."





TRAVELERS in Old England, visitors to France and other countries of Europe, are impressed most of all with the gardens. The householder, large or small, without his "patch of color," is the exception rather than the rule. Happily our own country, too, is showing vast improvement in this respect.

To thoroughly enjoy one's home it is necessary to make it attractive, not only in comfort, but in the physical appearance of its surroundings and environment. It is really surprising to know with what comparatively small expense the desired result of garden decoration may be accomplished.





HOWEVER, the original planning of the landscape adornment should be given skilled consideration and expert execution so that the professional gardener can produce the utmost in the area of land available. Here is where the patron and landscape architect may combine their individual ideas so that the union of visionary suggestion and practical development attain a most ideal and successful result.






A S the modern home-builder consults an experienced architect when contemplating the establishment of a house, so those who intelligently plan charming home gardens will seek the services of a competent, sympathetic garden and landscape designer.






INSTEAD of your garden being planted in a more or less hit-and-miss fashion, an intelligent, well-thought plan is prepared and presented covering the entire proposition. Estimates of cost and detailed information of the proposed plantings are interesting parts of our study and report to our clients.





A PLAN of co-operation with your own gardener or with yourself, will provide capable continuation of the original and successful planting. You can readily imagine the relief and comfort such a service contributes to the home gardener—and the cost is comparatively small.





TT is with the sincere desire to add to the beauty and joy of I your home that we cordially invite your personal inquiries and it will give us pleasure to assist in every way possible to bring about the ideas for garden decoration you have in mind. or to suggest, after consultation with you, original plans for vour garden.

Our aim, then, is to make our customers our clients and to feel that in working for them, we are working with them; to regard the result of our service as important to them as to ourselves, and at all times to uphold the ideals of a vocation so closely allied to Art and Nature.



# **OUR SCOPE**

### Complete Plantings

Service

Hardy Flowers
Shade and Lawn Trees

Landscape Designing Planting, Pruning

Flowering Shrubs

Transplanting of Large Trees

Foundation Plantings

Making of Lawns

Ground Covers and Vines

Complete Garden Construction Weekly Supervision and Care

Annual Flowers

We shall be most happy to do whatever we can to help you achieve your highest ambition and ideals in the designing, planting and up-keep of your garden or grounds.

## LOUDON NURSERIES

INCORPORATED

H. CLAY PRIMROSE, PRESIDENT

IRVINGTON, MD.

SALES OFFICE 3906 FREDERICK AVENUE BALTIMORE, MD. GROWERS AND PLANTERS
OF EVERGREENS, TREES,
SHRUBS AND HARDY FLOWERS



# Evergreens

Dwarf Golden Oriental Aborvitae. (Biota Aurea Nana.)	Mount Atlas Silver Cedar. (Cedrus Atlantica Glauca.)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5'
Oriental Aborvitae. (Biota Orientalis.)	$1' - 1\frac{1}{2}' \dots 3.00$ $1\frac{1}{2}' - 2' \dots 5.00$
$egin{array}{cccccccccccccccccccccccccccccccccccc$	Savin Juniper.         (Juniperus Sabina.) $1' - 1^{\frac{1}{2}'}$
Boxwood.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
(Buxus.) 6" -10"	(Juniperus Canadensis.) $1' - 1^{\frac{1}{2}}' \dots 1.50$
$egin{array}{cccccccccccccccccccccccccccccccccccc$	<b>Red Cedar.</b> Juniperus Virginiana.)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3' - 4'
	1 0
Pyramid Boxwood	<b>Blue Cedar.</b> (Juniperus Virginiana Glauca.)
Pyramid Boxwood (Buxus.)  2'	(Juniperus Virginiana Glauca.) $2' - 3'$ $2.50$ $3' - 4'$ $3.00$ $4' - 5'$ $4.50$ $6' - 7'$ $6.00$
(Buxus.)  2'	$\begin{array}{cccccc} (\text{Juniperus Virginiana Glauca.}) \\ 2' - 3' & & 2.50 \\ 3' - 4' & & 3.00 \\ 4' - 5' & & 4.50 \\ 6' - 7' & & 6.00 \\ 7' & & & 10.00 \\ \end{array}$
(Buxus.)  2'	(Juniperus Virginiana Glauca.)  2' - 3'
(Buxus.)  2'	$\begin{array}{ccccccc} (Juniperus Virginiana Glauca.) \\ 2' - 3' & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & $
(Buxus.)  2'	$\begin{array}{cccccc} (Juniperus Virginiana Glauca.) \\ 2'-3' & 2.50 \\ 3'-4' & 3.00 \\ 4'-5' & 4.50 \\ 6'-7' & 6.00 \\ 7' & 10.00 \\ \hline & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & & \\ & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & $
(Buxus.)  2'	$\begin{array}{ccccccc} (Juniperus Virginiana Glauca.) \\ 2' - 3' & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & $
(Buxus.)  2'	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
(Buxus.)  2'	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
(Buxus.)  2'	$\begin{array}{cccccccccccccccccccccccccccccccccccc$





Golden-Plumed Cypress.	Variegated Cypress.
(Retinispora Plumosa Aurea.)	(Retinispora Flav. Var.)
$\frac{1' - 1^{\frac{1}{2}'}}{1^{\frac{1}{2}'} - 2'}$ 1.25	15" –18" 3.00
	Umbrella Pine.
3' _ 3\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	(Sciadopitys Verticillata.)
$3\frac{1}{2}' - 4'$	$2' - 2\frac{1}{2}' \dots \dots$
Pea-Fruited Cypress.	Canadian Yew.
(Retinispora Pisifera.)	(Taxus Canadensis.)
$1' - 1^{\frac{1}{2}'} \dots \dots 1.50$ $1^{\frac{1}{2}'} - 2' \dots \dots 2.00$	15" –18" 1.50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10 -10
$2\frac{1}{2}' - 3' \dots 3.50$	Upright Japanese Yew.
$3' - 3\frac{1}{2}' \dots \qquad 4.00 \\ 3\frac{1}{2}' - 4' \dots \qquad 4.50$	(Taxus Brevifolia.)
4' = 5' 5.00	1' x 1' 3.50
$5' - 6' \dots 6.00$	2' x 2'
8' Specimen12.50	3' x 3'10.00
Golden Pea-Fruited Cypress.	Japanese Yew.
(Retinispora Pisifera Aurea.)	(Taxus Cuspidata.)
1' - 2'	1' - 2' 5.00
$3' - 4' \dots 3.50$	4' - 5'
Gray Cypress.	Spreading English Yew.
(Retinispora Squarrosa Veitchii.)	(Taxus Repandens.)
$1\frac{1}{2}' - 2' \dots 2.50$	$1' - 1^{\frac{1}{2}}' \dots 3.00$
$\overline{2}^7 - \overline{3}^7 \dots 4.00$	1 12
$2' - 3' \dots $	American Hemlock.
3' - 4' 6.00	
3' - 4' 6.00  Obtuse Leafed Cypress. (Retinispora Obtusa.)	American Hemlock. (Tsuga Canadensis.)  1' - 1\frac{1}{2}'
3' - 4' 6.00  Obtuse Leafed Cypress.  (Retinispora Obtusa.)  1' - 1\frac{1}{2}' 1.00	American Hemlock. (Tsuga Canadensis.)  1' - 1\frac{1}{2}'
3'-4'	American Hemlock. (Tsuga Canadensis.) $1' - 1\frac{1}{2}' 1.25$ $1\frac{1}{2}' - 2' 1.50$ $2' - 2\frac{1}{2}' 2.00$
3'-4'	American Hemlock.         (Tsuga Canadensis.) $1' - 1\frac{1}{2}'$ 1.25 $1\frac{1}{2}' - 2'$ 1.50 $2' - 2\frac{1}{2}'$ 2.00 $2\frac{1}{2}' - 3'$ 3.00
3'-4'	American Hemlock.         (Tsuga Canadensis.) $1' - 1\frac{1}{2}'$ 1.25 $1\frac{1}{2}' - 2'$ 1.50 $2' - 2\frac{1}{2}'$ 2.00 $2\frac{1}{2}' - 3'$ 3.00
3'-4'	$\begin{array}{cccc} \textbf{American Hemlock.} \\ & (\text{Tsuga Canadensis.}) \\ 1' - 1\frac{1}{2}' & 1.25 \\ 1\frac{1}{2}' - 2' & 1.50 \\ 2' - 2\frac{1}{2}' & 2.00 \\ 2\frac{1}{2}' - 3' & 3.00 \\ 3' - 3\frac{1}{2}' & 4.00 \\ 3\frac{1}{2} - 4' & 4.50 \\ 4' - 4\frac{1}{2}' & 5.00 \\ \end{array}$
3'-4'	American Hemlock. (Tsuga Canadensis.) $ \begin{array}{ccccccccccccccccccccccccccccccccccc$
3'-4'	$\begin{array}{ccccc} \textbf{American Hemlock.} \\ & (Tsuga Canadensis.) \\ 1' & -1\frac{1}{2}' & 1.25 \\ 1\frac{1}{2}' & 2' & 1.50 \\ 2' & -2\frac{1}{2}' & 2.00 \\ 2\frac{1}{2} & 3' & 3.00 \\ 3' & -3\frac{1}{2}' & 4.00 \\ 3\frac{1}{2} & -4' & 4.50 \\ 4' & -4\frac{1}{2}' & 5.00 \\ 4\frac{1}{2}' & 5' & 6.00 \\ 5' & -6' & 7.00 \\ 6' & -7' & 9.00 \\ \end{array}$
3' - 4'	American Hemlock. (Tsuga Canadensis.) $ \begin{array}{ccccccccccccccccccccccccccccccccccc$
3'-4'	American Hemlock.  (Tsuga Canadensis.) $1' - 1\frac{1}{2}'$ 1.25 $1\frac{1}{2}' - 2'$ 1.50 $2' - 2\frac{1}{2}'$ 2.00 $2\frac{1}{2}' - 3'$ 3.00 $3\frac{1}{2} - 3\frac{1}{2}'$ 4.50 $4\frac{1}{2} - 4\frac{1}{2}'$ 5.00 $4\frac{1}{2} - 5'$ 6.00 $5' - 6'$ 7.00 $6' - 7'$ 9.00 $7' - 8'$ 12.00  American Arborvitae.
3'-4'	American Hemlock.  (Tsuga Canadensis.) $1' - 1\frac{1}{2}'$ 1.25 $1\frac{1}{2}' - 2'$ 1.50 $2' - 2\frac{1}{2}'$ 2.00 $2\frac{1}{2}' - 3'$ 3.00 $3' - 3\frac{1}{2}'$ 4.00 $3\frac{1}{2}' - 4'$ 4.50 $4' - 4\frac{1}{2}'$ 5.00 $4\frac{1}{2}' - 5'$ 6.00 $5' - 6'$ 7.00 $6' - 7'$ 9.00  American Arborvitae.  (Thuya Occidentalis.)
3'-4'	American Hemlock.  (Tsuga Canadensis.) $1' - 1\frac{1}{2}'$ 1.25 $1\frac{1}{2}' - 2'$ 1.50 $2' - 2\frac{1}{2}'$ 2.00 $2\frac{1}{2}' - 3'$ 3.00 $3\frac{1}{2} - 3\frac{1}{2}'$ 4.00 $3\frac{1}{2} - 4'$ 4.50 $4\frac{1}{2} - 5'$ 6.00 $5' - 6'$ 7.00 $6' - 7'$ 9.00 $7' - 8'$ 12.00  American Arborvitae.  (Thuya Occidentalis.) $2' - 3'$ 2.00
3'-4'	American Hemlock. (Tsuga Canadensis.) $ \begin{array}{ccccccccccccccccccccccccccccccccccc$
3'-4'	American Hemlock.  (Tsuga Canadensis.) $1' - 1\frac{1}{2}'$ 1.25 $1\frac{1}{2}' - 2'$ 1.50 $2' - 2\frac{1}{2}'$ 2.00 $2\frac{1}{2}' - 3'$ 3.00 $3\frac{1}{2}' - 4'$ 4.50 $4\frac{1}{2}' - 5'$ 6.00 $5' - 6'$ 7.00 $6' - 7'$ 9.00  American Arborvitae.  (Thuya Occidentalis.) $2' - 3'$ 2.00 $3\frac{1}{2}' - 4'$ 3.00 $3\frac{1}{2}' - 4'$ 3.00 $3\frac{1}{2}' - 4'$ 3.00 $3\frac{1}{2}' - 4'$ 3.00 $3\frac{1}{2}' - 4'$ 3.50 $4\frac{1}{2}' - 4\frac{1}{2}'$ 4.00
3'-4'	American Hemlock.  (Tsuga Canadensis.) $1' - 1\frac{1}{2}'$



Pyramidal American Arborvit	la a	Parson's Compact Arborvitae.
(Thuya Occidentalis Pyramida		(Thuya Parson's Compacta.)
$1'-1\frac{1}{2}'\dots$	1.00	$1' - 1^{\frac{1}{2}'} \dots \dots 1.50$
$1\frac{1}{2}'-2'$	1.50	$1\frac{1}{2}' - 2 \dots 2.00$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2.00	$2' - 2\frac{1}{2}' \dots 2.50$
$2\frac{1}{2}-3$ $3'-3\frac{1}{2}'$	2.50 3.00	(Thuya Reedii.)
$3\frac{1}{2}'-4'$	4.00	, , , , , , , , , , , , , , , , , , ,
$4'_1 - 5'_1 \dots \dots$	5.00	2' - 3' 3.00
5' - 6'	6.00	Douglas Arborvitae.
Tom Thumb Arborvitae.		(Thuya Douglasii Aurea.)
(Thùya Ericoides.)		$2' - 2\frac{1}{2}' \dots 4.00$
12" -15"	1.00	
15" -20"	2.00	Douglas Arborvitae.
Spherical Arborvitae.		(Thuya Douglasii Pyramidalis.)
(Thuya Globosa.)		2' - 3'
8" -10"	1.00	3' - 4' 5.50
10" -12"	1.50	Vervaene's Arborvitae.
15" –18"	2.00	(Thuya Vervaeneana.)
Siberian Arborvitae.		3' 4.00
(Thuya Siberica.)		
1' - 1½'	3.00	Globe Arborvitae.
$2'-2^{\frac{1}{2}'}$	4.00	(Thuya Woodward's Globe.)
4′	5.00	10" -12"
5'	6.00	12" –15" 1.25
EVEI	RGREEN	SHRUBS.
Arbutus Bush.		Mountain Fetterbush.
(Abelia Rupestris.)		(Andromedia Floribunda.)
4" Pot Plants	.75	12" –15" 2.50
Japanese Evergreen Azalea		Great Laurel.
(Azalea Amœna.)	-	(Rhododendron Maximum.) $1' - 1^{\frac{1}{2}}' \dots 2.00$
1' - 1½'	2.00	1 = 2 2 2 50
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Pink Japanese Evergreen Azal		3' - 4' 4.00
(Azalea Amœna Hino-digiri		Catawba Rhododendron.
$1'-1^{\frac{1}{2}'}$	2.00	(Rhododendron Catawbiense.) $1' - \frac{1}{2}' \dots 2.50$
Lavender Azalea.		1 ± ' 9 ' 2 00
(Azalea Yodogawa.)		2' - 3' 4.00
12" -15"	2.00	Rhododendron Hybrids.
		2' - 3' 5.00
White Japanese Azalea.		Laurel.
(Azalea Japonica Alba.)	0.00	2' - 3' 2.50
$2'-2^{\frac{1}{2}'}$	3.00	2' - 3' 2.50



SHADE AND	FOREST TREES.
Norway Maples.	Pin Oak.
(Acer Platanoides.)	(Quercus Palustris.)
$1'' - 1\frac{1}{2}''$ diameter of trunk 1.50 $1\frac{1}{2}'' - 2^{n}$ " " . 2.00 $2'' - 2\frac{1}{2}$ " " " . 2.50	5' - 6'
$1\frac{1}{2}'' - 2''$ " " . 2.00 $1\frac{1}{2}'' - 2\frac{1}{2}''$ " " . 2.50 $2\frac{1}{2}'' - 3\frac{1}{2}''$ " " . 3.00 $3'' - 3\frac{1}{2}''$ " " . 4.00 $3\frac{1}{2}'' - 4''$ " " . 7.00	European Mountain Ash. (Sorbus Aucuparia.)
Schwedler's Purple Maple. (Acer Schwedlerii.)	6' - 8'
$1'' - 1\frac{1}{2}''$ diameter 2.00	European Linden. (Tilia Vulgaris.)
Oriental Planes. (Platanus Orientalis.)	$2'' - 2\frac{1}{2}''$ diameter of trunk <b>6.00</b>
$1'' - 1\frac{1}{2}''$ diameter of trunk. 1.50 $3''$ diameter of trunk 7.50	Basswood, American Linden. (Tilia Americana.)
White Flowering Dogwood.  (Cornus Florida.)	$2'' - 2\frac{1}{2}''$ diameter of trunk 5.00
3' - 4'	Rose Acacia. (Robinia Hispida.)
<b>Lombardy Poplars.</b> (Populus Nigra Italica.)	5' - 6' 2.50
5' - 6'       1.00         6' - 8'       1.50         12' -14'       2.50	Japanese Maple. (Acer.) 1½'- 2'
<b>Bolleana Poplars.</b> 18′ -20′ 6.00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	Soulange's Magnolia.
Maidenhair Tree.	Soulange's Magnolia. (Magnolia Soulangeana.)
(Ginko.) 6' - 8'	9
(Ginko.) 6' - 8'	(Magnolia Soulangeana.) 3' - 4'
(Ginko.) 6' - 8'	(Magnolia Soulangeana.) 3' - 4'
(Ginko.) 6' - 8'	(Magnolia Soulangeana.) 3' - 4'
(Ginko.) 6' - 8'	(Magnolia Soulangeana.)  3' - 4'
(Ginko.) 6' - 8'	(Magnolia Soulangeana.)  3' - 4'
$\begin{array}{c} (Ginko.) \\ 6'-8' & & 4.00 \\ 8'-10' & 5.00 \\ \hline \\ \textbf{Horse Chestnut.} \\ (Aesculus.) \\ 6'-8' & & 3.00 \\ 8'-10' & 4.00 \\ \hline \\ \textbf{Weeping Willow.} \\ (Salix Babylonica.) \\ 6'-8' & 2.00 \\ 8'-10' & 3.00 \\ \hline \end{array}$	(Magnolia Soulangeana.)  3' - 4'
(Ginko.) 6' - 8'	(Magnolia Soulangeana.)  3' - 4'
$\begin{array}{c} (Ginko.) \\ 6'-8' & & 4.00 \\ 8'-10' & 5.00 \\ \hline \\ \textbf{Horse Chestnut.} \\ (Aesculus.) \\ 6'-8' & & 3.00 \\ 8'-10' & 4.00 \\ \hline \\ \textbf{Weeping Willow.} \\ (Salix Babylonica.) \\ 6'-8' & 2.00 \\ 8'-10' & 3.00 \\ \hline \end{array}$	(Magnolia Soulangeana.)  3' - 4'



FRUIT TREES.			
Average size 3'-4' 1.50	Large size 5'-7' 2.00		
Apples in the following varieties: Stark. Fall Pippin. Smokehouse. Summer Rambo. Early Harvest. Delicious. P. W. Sweet.  Pears:	Crab Apples: General Grant.  Plums: Green Gage. Burbank.  Cherries: Montmorency. Napoleon. Black Tartarian.		
Manning. Bartlett.	Nut Trees:  Butternut 6'-8'		
Kieffer.	Walnut 6'-8' 2.00		
FLOWER	ING SHRUBS.		
Flowering Almond. (Amygdalus Rosea Fl. Pl.)	<b>Butterfly Bush.</b> (Buddleia Veitchii.)		
2' 2' 195	3' - 4'		
2' - 3'	5' - 6'		
Chokeberry.	Callicarpia.		
(Aronia Arbutifolia Nigra.)	(Callicarpia Purpurea.)		
2' - 3'	2' - 3'		
Rose of Sharon.	Sweet Shrub.		
(Althea.)	(Calycanthus Floridus.)		
4' - 5'	3' - 4'		
Common Barberry.			
(Berberis, Vulgaris.)	European Hornbeam.		
	(Carpinus Betulus.)		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2' - 3'		
Thunberg's Barberry.	3' - 4' 2.00		
(Berberis Thunbergii.)	Red Bud or Judas Tree.		
1' - 1\frac{1}{2}' 35	(Cercis Canadensis.)		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3' - 4'		
Purple Leaf Barberry.	White Fringe.		
(Berberis Vulgaris Purpurea.)	(Chionanthus Virginica.)		
2' - 3'	3' - 4'		
Holly-leaved Barberry.	Sweet Pepper Bush.		
(Berberis Ilicifolia.)	(Clethra Alnifolia.)		
$1\frac{1}{2}' - 2'$ 1.00	2' - 3'		



Siberian Dogwood. (Cornus Alba.) 3' - 4'	.75 1.00	Deutzia, Pride of Rochester. (Deutzia Scabra, var. Pride of Rochester.)  3' - 4'
Cornelian Cherry. (Cornus Mascula.) 3' - 4'	.75	Russian Oleaster. (Eleagnus Augustifolia.) 4' - 5'
Native Red Osier. (Cornus Stolonifera.) 4' - 5'	1.00	Japanese Oleaster. (Eleagnus Longpipes—edulis.) 3' - 4'
Shiny-leaved Rose Box. (Cotoneaster Simonsii.) 4' - 5'  American Hazel. (Corylus Americana.)	2.50	Corkbarked Euonymus.         (Euonymus Alatus.) $1\frac{1}{2}'-2'$ 1.0 $3'-4'$ 1.2 $5'$ Specimens       2.5
3' - 4'  Paul's Double Scarlet Hawthe	orn.	<b>Exchordia.</b> (Exchordia Grandiflora.)
(Crataegus Oxycantha, Cocci Fl. Pl.) 5' - 6'		3' - 4'
(Crataegus Oxy. Fl. Pl.) 3' - 4'	$1.00 \\ 1.50$	3' - 4'
Golden Chain Tree. (Cytisus Laburnum.) 3' - 4'	.75 1.50	(Forsythia Intermedia.) 3' - 4'
Japanese Quince. (Cydonia Japonica.) 3' - 4'	.75	(Forsythia Suspensa.)  3' - 4'
<b>Deutzia.</b> (Deutzia Crenata.) 3' - 4'	.75	(Forsythia Viridissima.) 3' - 4'
	.75	Japanese Witchhazel. (Hamamelis Virginiana.) $4' - 5' \dots 1.00$
Lemoine's Deutzia. (Deutzia Lemoinei.) 3' - 4'	.75	Hydrangea Banks of Snow. (Hydrangea Arborescens Gr.) 3' - 4'



Single-Flowered Hydrangea. (Hydrangea Paniculata.)	Fragrant Bush Honeysuckle. (Lonicera Fragrantissima.)
3' - 4'	3' - 4'
Fall Hydrangea. (Hydrangea Paniculata Gr.) 3' - 4'	Morrow's Bush Honeysuckle.           (Lonicera Morrowii.)           3' - 4'
Standard Hydrangea.	
(Hydrangea P. G. Standard.) 4' 2.50	Tartarian Honeysuckle. (Lonicera Tartarica.)
Oak Leaf Hydrangea.	3' - 4'
(Hydrangea Quercifolia.)	Bayberry.
2' - 3'	(Myrica Cerifera.) 2'
Large Flowered St. John's Wort.	2'
(Hypericum Aureum.)	Mock Orange.
2' - 3'	(Philadelphus Avalanche.)
Holly.	3' - 4'
(Ilex Verticulata.)	Fragrant Mock Orange.
18" 1.00	(Philadelphus Coronarius.)
Globe Flower.	3' - 4'
(Kerria Japonica.)	Golden Mock Orange.
2' - 3'	(Philadelphus Cor. Aurea.)
Armoor River Privet.	3' - 4'
(Ligustrum Amurense.)	Flowering Crab.
3' - 4'	(Pyrus Arbutifolia.)
Siberian Privet.	3' - 4'
(Ligustrum Ibota.)	White Kerria.
3' - 4'	(Rhodotypus Kerrioides.)
Regel's Privet.	2' - 3'
(Ligustrum Ibota, var. Regelianum)	Golden Flowering Currant.
3' - 4'	(Ribes Aureum.)
4' - 5' 1.00	4' - 5' 1.00
California Privet.	
(Ligustrum Ovalifolium.)	Bush Rose. (Rosa Nitida.)
2 years old	1' - 2'
Bush Honeysuckle.	Prairie Rose.
(Lonicera Alberti.)	(Rosa Setigera.)
3' - 4'	2' - 3'



Bush Rose.	Snowberry.
(Rosa Rugosa—Red.)	(Symphoricarpos Racemosus.)
2' - 3'	$2' - 3' \dots $
Bush Rose.	3' - 4'
(Rosa Rugosa Alba.)	Coral Berry.
4' - 5'	(Symphoricarpos Vulgaris.)
	$\frac{1'-2'}{2'-3'}$
Bush Rose.	$2' - 3' \dots$
(Rosa Multiflora.)	Hungarian Lilae.
4' - 5' 1.00	(Syringa Josikæa.)
Elderberry.	3' - 4'
(Sambucus Canadensis.)	$4' - 5' \dots 1.50$
3' - 4'	Rouen Lilac.
4' - 5' 1.00	(Syringa Rothamagensis.)
Golden Elder.	3' - 4'
(Sambucus Nigra Aurea.)	0 1 1.00
4' - 5'	Common Lilac.
Golden Elder.	(Syringa Vulgaris.)
(Sambucus Nigra.)	$2' - 3' \dots $
4' - 5' 1.00	$3' - 4' \dots$
Dwarf Spirea.	White Lilac.
(Spirea—A. Waterer—Bumaldi.)	(Syringa Vulgaris Alba.)
$1\frac{1}{2}'-2'$	$2' - 3' \dots 60$ $3' - 4' \dots 75$
	$3' - 4' \dots$
Spirea.	Lilae Hybrids.
(Spirea Prunifolia.) 3' - 4'	(Syringa Hybrids.)
	3' - 4' 1.00
Spirea.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
(Spirea Reevesiana Fl. Pl.)	5 - 0 1.30
3' - 4'	Arrowwood.
Spirea.	(Viburnum Dentatum.)
(Spirea Thunbergii.)	3' - 4'
3' - 4'	Sheep Berry.
Spirea, Bridal Bower.	(Viburnum Lentago.)
(Spirea Van Houtteii.)	3' - 4'
3' - 4'	$3' - 4' \dots $
Stephanandra.	High Bush Cranberry.
(Stephanandra Flex.)	(Viburnum Opulus.)
5' - 6' 1.50	3' - 4'
Styrax.	$4' - 5' \dots 1.00$
(Styrax Japonica )	(Viburnum Plicatum.)
5' - 6'	3' - 4' 1.00



Single Japan Snowball. (Viburnum Tomentosum.)	<b>Weigelia.</b> (Weigelia Candida—White.)
$3' - 4' \dots $	3' - 4'
Weigelia.	Weigelia.
(Weigelia Amabilis—White.)	(Weigelia Nana Variegated.)
3' - 4'	2' - 3'
VIN	ES.
Actinidia—(Actinidia Arguta)	
Five-fingered Vine—(Akebia Quinata) Shiny foliage, clusters of small cherant flowers.	
<b>Trumpet Vine</b> —(Bignonia Radicans) Strong climber with orange flowers	
Bitter-sweet—(Celastrus Scandens) Rapid growing; orange-yellow fruit.	
Bridal Bower—(Clematis Paniculata) Rapid grower, handsome foliage, v rant; blooms in late summer.	
Broad-leaved Creeper—(Euonymus Ver Scarlet fruited, strong growing ever	getus)
Evergreen Creeper—(Euonymus Radica Slow growing.	
(Eunoymus Kewensis) Small, dark green creeper.	
Jasmine—(Jasmine Nudiflorum) Yellow flowers, blooms in March.	
Hall's Monthly Honeysuckle—(Lonicera White flowers; fragrant, hardy.	n Halleana)
Chinese Honeysuckle—(Lonicera Chin	
Myrtle or Periwinkle—(Vinca Minor)	
Flowering Grape—(Vitis Riparia) Chinese Wisteria—(Wisteria Chinensis	
HARDY PE	RENNIALS.
Bush Arbutus—(Abelia Rupestris.) White, tinted lilac—June, July a	
Rosy Milfoil or Yarrow—(Achillea Mil Pink—June until frost	
Sneezewort—(Achillea Ptarmica, The l White—All summer	
Autumn Aconite—(Aconitum Autumnal Blue—September and November	e.) 3'- 5'25
Monkshood—(Aconitum Fischeri.) Pale Bluc—September and Octob	



True Monkshood—(Aconitum Napellus.)  Deep Purple Violet—July and September	3'- 4'	.25
Spring Adonis—(Adonis Vernalis.) Yellow—April and June	8"-15"	.25
Bugle—(Ajuga Reptans.) Blue—May and June	3"- 4"	.25
Rock Madwort—(Alyssum Saxatile Compactum.) Yellow—April and May	1'	.25
Alkanet—(Anchusa Italica, Dropmore Var.) Gentain Blue—June and September	3'	.20
Alkanet—(Anchusa Italica, Opal.) Sky Blue—May and July	3"- 6"	.20
Windflower—(Anemone Japonica, Whirlwind.) White—September and October		.35
Windflower—(Anemone Japonica, Queen Charlotte.) Silvery Pink—September and October	2'- 3'	.35
Snow Drop Windflower—(Anemone Sylvestris.) White—April and June	1'	.35
Rock Camomile—(Anthemus Tinctoria.) Yellow—June to September	18"	.20
St. Bruno's Lily—(Anthericum Lilago.) White—May through June	2'- 3'	.25
Snapdragon—(Antirrhinium.) Various—July to frost	18"-24"	.15
Golden Spurred Columbine—(Aquilegia Chrysantha.) Yellow—May to August	3'- 4'	.30
Rocky Mt. Columbine—(Aquilegia Cærulea.) Bright Blue—May and June	3	.20
Common Columbine—(Aquilegia Vulgarius.) Violet—May and June	18"-24"	.20
Columbine—(Aquilegia Hybrids.) Various—May and June	3'	.20
White—April and May	8"	.25
Pink—May  Sea Pink or Thrift—(Armeria Maritima, Laucheana.)	6"	.25
White or Pink—May	8"	.25
White foliage—Foliage Plant	1'	.20
Lavender—August and September	5'	.25
White Climax.) White—August and September	5′	.2
Aster—(Aster, hardy, var. Alpinus.) Violet—May to June	3"-10"	.20
Aster—(Aster, Robert Parker.) Pale Heliotrope—September to October	4'	.20



Spirea, Salmon Queen—(Astilbe Arendsi.) Salmon Pink—June and July	2'- 3'	.35
Purple Rockcrest—(Aubrietia Deltoides.) Violet—April and May	10"	.30
False Indigo—(Baptisua Australis.) Blue—June	3'- 5'	.25
English Daisy, Hardy—(Bellis Perennis.) Blush White—May	6"- 8"	.25
Plume Poppy—(Bocconia Cordata.) Creamy White—July-August	6'	.25
False Camomile—(Boltonia Asteroides.) White—August to October	2'- 8'	.20
Broad-scaled Boltonia—(Boltonia Latisquama.) Lavender—July to October	4'	.20
Large Blossomed Bell Flower—(Campanula Latifolia Macrantha.)		****
Purple—June and July	3'	.25
Chimney Campanula—(Campanula Pyramidalis.) Blue—July and August	4'- 6'	.25
Canterbury Bells—(Campanula Media.)	9/ 9/	05
White, Pink or Blue—June to mid-July	2'- 3'	.25
White and Blue—June to October	8"	.25
Peach-leaved Campanula—(Campanula Persicifolia.) Blue and White—June and July	2'- 3'	.25
Coventry Bells—(Campanula Trachelium.) Light Purple—July-August	2'- 3'	.25
Blue Spirea—(Caryopteris Mastacanthus.) Blue—September until frost	3'	.25
Perennial Cornflower—(Centaurea Montana.) Violet Blue—July to September	2'	.25
Snow in Summer—(Cerastium Tomentosum.) White—May and June	6"	.25
Chrysanthemum—(Hardy.)		
Various colors—September and October	1'3'	.20
White—July and August	4'- 6'	.25
Shubbery Clematis—(Clematis Davidiana.) Blue—August and September	2'- 3'	.30
Shubbery Clematis—(Clematis Recta.) White—June and July	2'- 3'	.30
Lilly-of-the-Valley—(Convallaria Majolis.)		
White—May	8"	.20
Pink Coreopsis—(Coreopsis Rosea.) Pink—August and September	1'	.20
Tickseed—(Coreopsis Lancelata.) Yellow—June through August	2'- 3'	.20
Garland Flower—(Daphne Cneorum.) Pink—April and May	6"-12"	.75



Larkspur—(Delphinium Hybrids.) Various shades of Blue—August and September	5' 6'	.2
Oriental Larkspur—(Delphinium Formosum.) Blue—June and July	3'	.30
Garden Pink—(Dianthus Plumarius.) Pink or White—June	8"	.20
Maiden Pink—(Dianthus Deltoides.)	0	.20
Pink—May and June	6"	.20
Broad-leaved Pink—(Dianthus Latifolia.) Pink—June to September	1'	.20
	18"-24"	.20
Bleeding Heart—(Dicentra Spectabilis.) Rose—April and May	18"	.25
Foxglove—(Digitalis Glox.) Various—June and July	3'- 5'	.20
Yellow Foxglove—(Digitalis Ambigua.) Yellow—June and July	3′	.20
Gas Plant—(Dictamnus Fraxinella.) White or Pink—June and July	2'- 3'	.28
Globe Thistle—(Echinops Ritro.) Blue—July and August	2'- 3'	.23
Flat-Leaved Eryngo—(Eryngium Amethystinum.) Blue—July and August	2'	.23
Large-flowered Plantain Lily—(Funkia Subcordata Gr.) White—August and September	1'- 2'	.20
Lance-leaved Day Lily—(Funkia Lancifolia.) Lilac—July-September	1'- 2'	.20
Gaillardi—(Gaillardia Hybrids.) Various—June to November	1'- 2'	.13
Blue Gentain—(Gentiana Andrewsii.) Blue—August	2'	.23
Blood-red Crane's Bill—(Geranium Sanguineum.) Crimson—May to July	$1\frac{1}{2}'$	.28
Geum—(Geum Mrs. Bradshaw.) Brilliant Scarlet—June until frost	18"	.13
Baby's Breath—(Gypsophila Paniculata.) White—July, August and September	2'- 3'	.20
Trailing Baby's Breath—(Gypsophila Repens.) White—July and August		.20
Sneezewort—(Helenium Autumnale.) Yellow—August and September	3'	.20
Sneezewort—(Helenium Riverton Beauty.) Lemon Yellow, Black Cone—August and September.	4'	.20
Hardy Sunflower—(Helianthus.) Yellow	4'- 6'	.25
Orange Sunflower—(Heliopsis Pitcheriana.) Golden Yellow—July and August	3′	.20
Sweet Rocket—(Hesperis Matronalis.) White or purple—June to August	2'- 3'	.28



Coral Bells—(Heuchera Sanguinea.) Red—June to October	11' .25
Day Lily—(Hemerocallis Kewensis.)	12 ./40
Orange—July and August	4'- 5' .20
Lemon Lily—(Hemerocallis Flava.)	1 ··· 0
Yellow—June.	2' .20
Hollyhoek—(Hollyhoek.)	2 .~ 0
Red, Pink, Yellow and White, single or double—	
Late June, July and August	2'- 5' .20
St. John's Wort—(Hypericum Moserianum.)	
Golden Yellow—June until frost	2' .25
IRIS—FLEUR DE LIS—(Germanica.)	
,	
Kharaput—Standards, Violet Falls, Velvety Violet Purple	30" .20
Admiral Togo—Standards and Falls White, faintly tinted	a . #
with Lavender	24" .20
Kokanum—Standards, coppery bronze; Falls, velvety crim-	<b>10"</b>
son	
Herant—Standards, bright blue; Falls, much deeper blue.	30" .20
Maori King—Standards, golden yellow; Falls, velvety crim-	0.1" 00" 00
son	24"-30" .20
Mad. Chereau—Standards and Falls, white frilled clear blue	
Pauline—Standards and Falls, rich violet	36" .20
President Thiers—Standards, lavender, shot with bronze;	
Falls, deep purple	36" .20
Queen Victoria—Standards, yellow; Falls, crimson	
Candicans—Standards and Falls, soft light blue	
Pictum—Standards and Falls, white frilled blue	24" .20
Victory—Standards, yellow; Falls, deep crimson	30" .20
Japanese Iris—(Iris Kaempferi.)	
Mixed varieties—June	24"-36" .20
Candytuft—(Iberis Sempervirens.)	
White—Mid-May to mid-June	.20
Flax—(Linum Perenne.)	0.0
Blue—June-September	.25
Perennial Lupine (Lupinus Polyphyllus.)	o/ 00
Blue and White and Pink—June and July	3' .20
Lupine—(Lupinus Moerheimi.)	.20
Pink	0.6€
Rosy Loose-strife—(Lythrum Roseum Superbum.) Rose—July to September	3′ .25
	· • • •
Forget-Me-Not—(Myosotis Palustris Semperflorens.) Blue—All summer	6" .15
Evening Primrose—(Oenothera Speciosa.)	.10
White—June until frost	1' .25
Frazer's Evening Primrose—(Oenothera Glauca.)	
Yellow—June to September	2'- 3' .25
Evergreen Japanese Spurge—(Pachysandra Terminalis.)	
White—May and June	8" .10
•	



#### PAEONIES.

Asa Gray—A fragrant semi-rose type, blooming in mid- season; the guards on the outside petals are salmon- flesh, with delicate lilac center, sprinkled with deeper	
Austin D'Hour—Large, showy, globe-shaped bloom of brilliant solferina-red. An indispensable variety bloom-	.73
ing in midseason	.73
Couronne D'Or—Another semi-rose type, blooming in mid- season and one of the best in cultivation. The color is snow white, with golden yellow stamens, from which the name "Crown of Gold" is derived. A few of the center petals have delicate carmine pencilings around	
their edges. Delightful fragrance	.73
Duc De Cazes—This has a medium size loose crown bloom	
of dark pink color, with silvery collar. Early	.73
Duchesse De Nemours—An early variety with pure white	
crown and sulphur white collar. Fragrant and a free bloomer	.50
Edulis Superba—An extremely early paeony of the crown	.0
type, of bright, clear mauve pink color. Large flower;	
fragrant	.7
Eugene Verdier—Large, compact double flowers of delicate	
hydrangea pink, with outer petals of lilac-white. Late blooming, with delightful fragrance	7
Felix Crousse—A mid-season variety of even brilliant ruby-	• • •
red. A very effective and popular paeony	.73
Festiva Maxima—"The Queen of Paeonies." An enormous	
flower of the finest white, with clear carmine spots	
on edge of center petals. It is an early variety, with June rose fragrance	.73
L'Indispensable—A globular, rose-shaped type, blooming	•••
in mid-season. Lilac white, becoming deeper towards	
center	.7
Madame Calot—An early rose type of Hydrangea, pink	
color, shading deeper towards center; silvery-tinted collar	7
Madame Crousse—Pure white flower, with crimson flecked	• • •
center, blooming freely in mid-summer	.73
Octavis Demay-Very large crown, with hydrangea pink	
center and white collar. Very fragrant, of dwarf habit	1.00
and free bloomer	1.00
It is an early bloomer and a favorite	.50
Rosa D'Amour—Large flowering, soft, flesh pink of tall	
growing habit; very fragrant and blooms during early	
mid-season	.73
Rubra Superba—An extremely late blooming paeony of the rose type, with a magnificent deep crimson color, frag-	
rant and excellent for cut flower	.7
Umbellata Rosea—A very early blooming rose type, with	
violet rose guards shading to mauve white center	.7.
Poppy—(Papaver Orientalis.)	.2
Firey Scarlet—May and June	



#### HARDY PHLOX—(Paniculata Deussata.)

(1		
Mad. P. Langier—Bright vermilion center	1'	.25
Coquelicot—Pure Scarlet, deep eye	3'	.25
Dawn—Soft pink; deep pink center	$1_{2}^{1}{}'$	.25
Mad. Paul Dutrie—Delicate lilac rose in shade like a soft pink orchid; flowers very large, borne in immense	2'	.25
panicles	4	.20
Ingeborg—Rich vermilion-red, with a lively suffusion of orange-salmon intensified by a small purplish-crimson eye	2'	.25
Mrs. Jenkins—Good creamy white	1½'	.25
Independence—White, free bloomer	$2^{\frac{1}{2}}$	.25
Elizabeth Campbell—Very bright salmon-pink with lighter	-2	
shadings and dark red eye	$1\frac{1}{2}'-2'$	.35
eye		.25
Miss Lingard—White, delicate pink center	3'	.25
Thor—A most beautiful and lively shade of deep salmon- pink, suffused and overlaid with a scarlet glow. A light,		
almost white halo surrounds the aniline red eye	$2\frac{1}{2}'$	.25
Pantheon—Uniform bright carmine rose throughout	$2\frac{1}{2}'$	.25
Rynstrom—Same carmine-rose color as the Paul Neyron Rose	2'	.25
PHLOX—(Arendsi.)		
Charlotte—Flowers very large, pale lilac shaded pink, with a prominent dark eye; one of the best	18"-24"	.25
Kathe—Stems loosely branched, flowers purplish-rose with a dark eye surrounded by a lighter halo	20"	.25
Louise—A strong variety, light lilac flowers with a carmine eye	24"	.25
False Dragon Head—Physostegia, Virginica Alba.) White—July-September		.20
Balloon Flower—(Platycodon Grandiflorum.)  Deep Blue—July-September		.25
Lead-Wort—(Plumbago Larpentae.) Deep Blue—August, September and October	8"-10"	.20
Dwarf Jacob's Ladder—(Polemonium Humile.) Blue—June and July	6"	.20
American Jacob's Ladder—(Polemonium Caeruleum.) Purple—May to July	2'	.20
Knot-Weed—(Polygonum Compactum.) White—August and September	18"	.25
English Cowslip—(Primula Officinalis—P. Veris.) Yellow—April and May	6"	.20
Japanese Primrose—(Primula Japonica.)		



Giant Daisy—(Pyrethrum Uliginosum.) White and Pink—August and September		.20
English Daisy—(Pyrethrum Hybrids.) Mixed—June and July		.20
Golden Glow—(Rudbeckia Laciniata.) Yellow—July to October	5′	.25
Meadow Sage—(Salvia Azurea.) Sky Blue—August and September	3'- 5'	.25
Meadow Sage—(Salvia Pratensis.) Violet—June and July	3′	.25
Blue Bonnet—(Scabiosa Caucasica.) Blue—June-September		.25
Showy Sedum—(Sedum Spectabilis.) Rose—August to October	18"	.15
Woundwort—(Stachys Lanata.) Light Purple—June and July	18"	.25
Sea Lavender—(Statice Latifolia.) Purplish Blue—June-September		.20
Stoke's Aster—(Stokesia Cyanea.) Blue—August to October	18"	.25
Meadow Rue—(Thalictrum Aquifolium.) Rosy-purple—May-July		.25
Spiderwort—(Tradescantha Virginica, Alba.) White—All summer	18"	.20
Spiderwort—(Tradescantha Virginica.)  Blue—All symmer	18"	.20
White—May and June	18"	.25
Yellow—May until August  Valerian—(Valeriana Officinalis.)	1'	.25
Rose, tinted white—June-July		.20
Purple—August to October	4'	.25
Blue or White—June and July	1' 2'	.25
Speedwell—(Veronica Incana.) Amethyst Blue—July and August	1'	.20
Speedwell—(Veronica Virgiana.) White—July and August	3'	.20
Horned Violet—(Viola Cornuta.)  Blue—April to frost	5"	.15
Hardy Violet—(Viola Cornuta G. Wernig.) Blue—All summer	6"	.20
Adam's Needle—(Yucca Filamentosa.) White—June and July	4'	.25



#### ROSES.

\$1.00 each. \$10.00 per dozen. Six at dozen rate.

#### Hybrid Teas.

White Killarney-White. Pink Killarnev-Pink. Columbia-Pink. Sunburst-Yellow. My Maryland-Pink. Ophelia-Salmon flesh. Radiance-Rosy carmine. Kaiserin Augusta Victoria-White. La France—Silvery pink, Mrs. Aaron Ward—Indian yellow. Meteor — Dark velvety crimson, shaded maroon. Richmond—Rich scarlet.

#### Tea Scented.

Pierre Notting—Apricot yellow. Mrs. B. R. Cant (Red Maman Cochet)—Red.

#### China.

Gruss on Teplitz-Red.

#### Polyantha.

Baby Rambler—Pink. Baby Tausenschoen-Pink.

#### Hybrid Polyantha.

Mad. Cecile Brunner—Pale pink.

#### Hardy Climbers.

Paul's Scarlet Climber—Scarlet. American Beauty Climber — Rose color. Lady Gay—Deep cherry pink. Gardenia - Bright yellow, cream when open. Silver Moon-White. Dr. W. Van Fleet-Flesh Pink.

### Hybrid Perpetual.

Frau Karl Druschki-White.











